



Safety Data Sheet

Sodium Chlorite Flakes 80%

Version 1.0, Date of issue: 2026-07-04

SECTION 1: Identification

1.1 GHS Product identifier

Product name	Sodium Chlorite Flakes 80%
Product number	C02388
Brand	Chemnovo

1.3 Recommended use of the chemical and restrictions on use

Laboratory reagent

1.4 Supplier's details

Name	Hurst Scientific
Address	2 Transit Place, 6112 Forrestdale WA, Australia
Telephone	1300 778 068
email	sales@hurstscientific.com.au

1.5 Emergency phone number

Australian Poisons Information Centre 13 11 26
Australian Emergency Services 000

SECTION 2: Hazard identification

General hazard statement

Classified as a Hazardous substance according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous goods according to the ADG Code for the Transport of Dangerous Goods by Road and Rail (7th Edition).

2.1 Classification of the substance or mixture

GHS classification in accordance with: UN GHS revision 7

- Skin Corrosion/Irritation, Cat. 1B
- STOT – Repeated Exposure, Cat. 2
- Acute Toxicity (Oral), Cat. 3
- Acute Toxicity (Dermal), Cat. 2
- Oxidising Liquid/Solid, Cat. 1
- Hazardous to the Aquatic Environment (Acute), Cat. 1
- Hazardous to the Aquatic Environment (Chronic), Cat. 1

2.2 GHS label elements, including precautionary statements

Pictograms



1. Flame over circle; 2. Corrosion; 3. Skull and crossbones; 4. Health hazard; 5. Environment

Signal word

Danger

Hazard statement(s)

H271	May cause fire or explosion; strong oxidiser.
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220	Keep away from clothing and other combustible materials.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P262	Do not get in eyes, on skin, or on clothing.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P283	Wear fire-resistant/flame-retardant clothing.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE/doctor.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P306+P360	IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
P314	Get medical advice/attention if you feel unwell.
P321	Specific treatment (see supplemental first-aid instructions on this label).
P361+P364	Take off immediately all contaminated clothing. And wash it before reuse.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use appropriate extinguishing media for the surrounding fire.
P371+P380+P375	In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local regulations.

2.3 Other hazards

No information available on PBT / vPvB status or endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.1 Substances

Hazardous components

Component	Concentration
Sodium chlorite (CAS: 7758-19-2)	80%
CLASSIFICATIONS: Skin Corrosion/Irritation, Cat. 1B; STOT – Repeated Exposure, Cat. 2; Acute Toxicity (Oral), Cat. 3; Acute Toxicity (Dermal), Cat. 2; Oxidising Liquid/Solid, Cat. 1; Hazardous to the Aquatic Environment (Acute), Cat. 1; Hazardous to the Aquatic Environment (Chronic), Cat. 1. HAZARDS: H271 - May cause fire or explosion; strong oxidiser; H301 - Toxic if swallowed; H310 - Fatal in contact with skin; H314 - Causes severe skin burns and eye damage; H373 - May cause damage to organs through prolonged or repeated exposure; H400 - Very toxic to aquatic life; H410 - Very toxic to aquatic life with long lasting effects.	

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

Eye contact

Flush eyes with copious amounts of water for at least 15 minutes. Seek immediate medical attention.

Skin contact

Immediately remove all contaminated clothing, footwear and jewellery. Flush the affected area with copious amounts of water for at least 15 minutes. Seek immediate medical attention. Wash contaminated clothing before re-use.

Inhalation

Evacuate to fresh air immediately. If unconscious, place in recovery position and provide artificial respiration if breathing ceases. Seek medical attention.

Ingestion

DO NOT induce vomiting. Wash mouth out with copious amounts of water and seek medical attention.

First-aid facilities

Eye wash station, safety shower and First Aid kit.

4.2 Most important symptoms and effects, both acute and delayed

The most important symptoms and effects are described in Section 2 (hazard statements) and Section 11 (toxicological information).

4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically. For advice, contact the Poisons Information Centre (Australia 13 11 26; New Zealand 0800 764 766) or a doctor.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use flooding quantities of water. Do NOT use dry chemical powder, carbon dioxide or foam. In a large fire, flood the fire area with water from a protected position and dam fire-control water for later disposal. Do not scatter spilled material with high-pressure water streams.

5.2 Specific hazards arising from the chemical

Strong oxidiser — may cause fire or explosion. Will intensify fire and accelerate burning. May ignite combustible materials such as wood, paper, oil and clothing. Containers may explode when heated. Combustion may produce toxic and irritating gases.

5.3 Special protective actions for fire-fighters

Fire fighters should wear self-contained breathing apparatus (SCBA) operated in positive-pressure mode and a chemical splash suit; a structural firefighter's uniform provides only limited protection against these materials. Fight the fire from a safe location. If safe to do so, move undamaged containers from the fire area. Do not move containers that have been exposed to heat. In case of major fire and large quantities: evacuate the area and fight the fire remotely due to the risk of explosion. Prevent firefighting runoff from entering waterways, drains and sewers. Contain and collect fire-control water for later disposal.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid contact with skin and eyes. Wear suitable protective equipment (see Section 8). Evacuate non-essential personnel from the area. Avoid generating and breathing dust.

6.2 Environmental precautions

Prevent the spill from entering drains, sewers and waterways. In the event of a major spill, contain the material and notify the relevant authorities. This product is hazardous to the aquatic environment — prevent any release to the environment.

6.3 Methods and materials for containment and cleaning up

Contain the spill and prevent further release. Sweep or vacuum the spilled material using clean, non-sparking tools, avoiding dust generation. Place the collected solid into a labelled, sealable container for disposal. Ventilate the area.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Prevent dispersion of dust. Use local exhaust ventilation where dust or aerosol may be generated. Do not breathe mists or vapours. Wear appropriate protective clothing to avoid any contact.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area. Keep containers tightly closed and upright when not in use. Store away from incompatible materials (see Section 10). Inspect containers regularly for damage or leaks. Store away from combustible and reducing materials and from sources of heat. Do not store near acids or combustible materials — contact with acids liberates toxic chlorine dioxide gas. Keep dry and prevent contact with water during storage.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Sodium chlorite (CAS: 7758-19-2)

AU/SWA (AU): No occupational exposure limit established.

8.2 Appropriate engineering controls

Ensure an adequate ventilation or exhaust system is in place.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

The use of a face shield, chemical goggles or safety glasses with side shield protection as appropriate. Must comply with Australian Standard AS 1337 and be selected and used in accordance with AS 1336.

Skin protection

Clean impervious clothing should be worn. Clothing for protection against chemicals should comply with AS 3765 Clothing for Protection Against Hazardous Chemicals.

Hand protection

Use occupational protective gloves complying with AS 2161 (Selection, Use and Maintenance).

Respiratory protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable particulate filter should be used. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices.

SECTION 9: Physical and chemical properties

Basic physical and chemical properties

Physical state	Solid
Appearance	powder
Colour	No data available
Odour	No data available
Odour threshold	No data available
Melting point/freezing point	Decomposes as it melts between 180-200 °C
Boiling point or initial boiling point and boiling range	No data available
Flammability	No data available
Lower and upper explosion limit/flammability limit	No data available
Flash point	No data available
Explosive properties	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Oxidising properties	No data available
pH	10.0 - 11.0 (100 g/L, 20 °C)
Kinematic viscosity	No data available
Solubility	545 g/l at 20 °C
Partition coefficient n-octanol/water (log value)	log Pow < -2.7
Vapour pressure	No data available
Evaporation rate	No data available
Density and/or relative density	2.468 g/cm ³ in crystalline form
Relative vapour density	No data available
Particle characteristics	No data available
Supplemental information regarding physical hazard classes	No data available
Further safety characteristics (supplemental)	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under normal conditions of storage and handling.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

None under normal use conditions.

10.4 Conditions to avoid

Avoid storing in direct sunlight and avoid extremes of temperature.

10.5 Incompatible materials

Strong reducing agents, Powdered metals, Phosphorus, Sulphur compounds, Zinc, Ammonia, Organic materials, acids, Amines

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Toxic if swallowed; Fatal in contact with skin; 165 mg/kg (rat, LD50 oral); Dermal LD₅₀: 134 mg/kg; 230 mg/m³/4H (rat, LC50 inhalation)

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Not expected to be a respiratory or skin sensitiser.

Germ cell mutagenicity

Not considered to be a mutagenic hazard.

Carcinogenicity

Not classifiable as to its carcinogenicity to humans

Reproductive toxicity

Not considered to be toxic to reproduction.

Specific target organ toxicity (STOT) - single exposure

Not expected to cause toxicity to a specific target organ.

Specific target organ toxicity (STOT) - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Not expected to be an aspiration hazard.

SECTION 12: Ecological information

Toxicity

to fish flow-through test LC50 - Cyprinodon variegatus (sheepshead minnow) - 105 mg/l - 96 h to daphnia and static test EC50 - Daphnia magna (Water flea) - < 1 mg/l - 48 h other aquatic invertebrates to algae static test EC50 - Pseudokirchneriella subcapitata (green algae) - 1 mg/l - 96 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

No data available

Endocrine disrupting properties

No data available

Other adverse effects

No data available

SECTION 13: Disposal considerations

Product disposal

Dispose of in accordance with local authority guidelines. Empty containers may still represent a hazard.

Packaging disposal

Dispose of in accordance with local authority guidelines.

Waste treatment

Dispose of in accordance with local authority guidelines.

Sewage disposal

Do not contaminate drains and waterways.

Other disposal recommendations

Do not discharge this material into waterways, drains and sewers.

SECTION 14: Transport information

ADG (Australian Dangerous Goods Code, 7th Edition)

UN Number	UN1496
Proper shipping name	SODIUM CHLORITE
Transport hazard class	5.1
Packing group	II
Hazchem code	1Y
Environmental hazards	Marine pollutant

IMDG (International Maritime Dangerous Goods Code)

UN Number	UN1496
Proper shipping name	SODIUM CHLORITE
Transport hazard class	5.1
Packing group	II
Marine pollutant	Yes

IATA (International Air Transport Association Dangerous Goods Regulations)

UN Number	UN1496
Proper shipping name	SODIUM CHLORITE
Transport hazard class	5.1
Packing group	II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Sodium chlorite (CAS: 7758-19-2)

Australia SUSMP — Poison Schedule: Not Scheduled (NS)

15.2 Chemical safety assessment

No chemical safety assessment has been carried out for this product.

SECTION 16: Other information

16.1 Further information/disclaimer

References

1. Safe Work Australia, Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, (June 2023).
2. Safe Work Australia, National Code of Practice for the Labelling of Workplace Hazardous Chemicals (2015).
3. Safe Work Australia, Workplace Exposure Standards for Airborne Contaminants (2013).
4. National Transport Commission Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code), Volume 1, Edition 7.9 (2023).
5. Standards Australia, Dangerous Goods Initial Emergency Response Guide: Australian Handbook (SAA/SNZ HB76); Homebush (2004).

16.2 Preparation information

This SDS is prepared in accordance with the Safe Work Australia, Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, (June 2023). The information contained within is believed to be accurate at the date of preparation/review. Hurst Scientific makes no claims of the accuracy or completeness of the information and excludes all liability for any loss or damage related to the supply or use of the information in this safety data sheet. It is recommended the user make their own determinations as to the suitability of the information provided to the application in which the product is to be used. Copyright © 2026 Hurst Scientific